Montana Board of Oil and Gas Conservation Environmental Assessment

Operator:XTO Energy, Inc. Well Name/Number: Hillary 42X-3 Location: SE NE Section 3 T22N R58E
County: Richland, MT; Field (or Wildcat) Wildcat
(possible concerns) Air Quality
Long drilling time: No, 25-35 days drilling time. Unusually deep drilling (high horsepower rig): A triple derrick rig, estimated 900-1000 HP to drill a single lateral Bakken Formation Horizontal, 19,750'MD/10,342'TVD. Possible H2S gas production: Slight In/near Class I air quality area: No, not in a Class I air quality area. Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required under rule 75-
2-211. Mitigation:
_X Air quality permit (AQB review)
X Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other: Comments: Existing pipeline for H2S gas and sweet gas in the area
Water Quality
(possible concerns)
Salt/oil based mud: Yes to intermediate casing string hole, oil based invert drilling fluids. Saltwater for the horizontal openhole lateral. Surface casing hole to be drilled with freshwater and freshwater mud. High water table: No high water table anticipated.
Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainage to Spring Coulee, also an ephemeral drainage, about 1/8 of a mile to the southeast from this location.
Water well contamination: None, surface hole will be drilled with freshwater and freshwater drilling
fluids to 1,700', steel surface casing will be run and cemented to surface from 1700' to protect any ground
and surface waters. Closest water wells is about 3/8 of a mile to the southwest from this location. All
other wells are 5/8 of a mile or further from this location. Depth of these domestic and stock water wells
are from 60' and 1540'.
Porous/permeable soils: <u>Possibly, sandy clay soils.</u>
Class I stream drainage: No, Class I stream drainage.
Mitigation:
X Lined reserve pit
X Adequate surface casing
Berms/dykes, re-routed drainage Closed mud system
Off-site disposal of liquids (in approved facility)
Other: Comments: 1700' of surface casing is not enough surface casing to cover Base Fox Hills
Formation Recommend surface hole to be drilled with freshwater and freshwater drilling muds to 1752'

Soils/Vegetation/Land Use

Steel surface casing will be run to 1752' and cemented to surface. Oil based invert drilling fluids will be

recycled. Drill cuttings will be disposed of in the lined pit. After the well has been completed,

completions fluids will go to a commercial Class II disposal.

(possible concerns)
Steam crossings: None, anticipated.
High erosion potential: No high erosion potential, small cut, 9.5' and small fill, up to 4.2', required.
Loss of soil productivity: None, location to be restored after drilling well, if well is nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No, large well site 430'X330'.
Damage to improvements: Slight, surface use is cultivated land.
Conflict with existing land use/values: Slight.
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
X Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
X Other: <u>Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28).</u>
Comments: Access will be over existing county road, #124. A short new access road, about 0.4 of a mile
will be built into this location. Oil based drilling fluids will be recycled. Completion fluids will be hauled to a Class II commercial disposal. Drill cuttings will be buried in the lined reserve pit. No concerns.
to a Class if commercial disposar. Drift cuttings will be buffed in the fined reserve pit. No concerns.
Health Hazards/Noise
Health Hazar as/11015c
(possible concerns)
Proximity to public facilities/residences: Closest residences about ½ of a mile to the southeast, 3/4 of a
mile to the south and 34 of a mile to the southwest from this location.
Possibility of H2S: Slight
Size of rig/length of drilling time: Triple derrick drilling rig, 25 to 35 days drilling time.
Mitigation:
_X Proper BOP equipment
Topographic sound barriers
H2S contingency and/or evacuation plan
Special equipment/procedures requirements
Other:
Comments: Adequate surface casing cemented to surface with working BOP stack should
mitigate any problems.
intigate any problems.
Wildlife/recreation
(possible concerns)
Proximity to sensitive wildlife areas (DFWP identified): None identified.
Proximity to recreation sites: None identified.
Creation of new access to wildlife habitat: No
Conflict with game range/refuge management: No, no game range/refuge in the area.
Threatened or endangered Species: Threatened or endangered species identified by USFWS in Richland
County are the Pallid Sturgeon, Whooping Crane, Interior Lease Tern and Piping Plover.
Mitigation:
Avoidance (topographic tolerance/exception)
Avoidance (topographic tolerance/exception) Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: Private cultivated surface lands away from live water. No concerns.

Historical/Cultural/Paleontological (possible concerns) Proximity to known sites ___None identified. Mitigation ___avoidance (topographic tolerance, location exception) ___other agency review (SHPO, DSL, federal agencies) ___Other:___ Comments: __Private cultivated surface lands away from live water. No concerns. Social/Economic

__ Substantial effect on tax base __ Create demand for new governmental services __ Population increase or relocation Comments: Horizontal Bakken Formation development oil well to an existing spacing unit. No concerns.

Remarks or Special Concerns for this site

Single lateral Bakken Formation development horizontal well 19,750'MD/10,342'TVD.

Summary: Evaluation of Impacts and Cumulative effects

No long term impacts expected. Some short term impacts will occur.

I conclude that the approval of the subject Notice of Intent to Drill (does/ $\underline{\text{does not}}$) constitute a major action of state government significantly affecting the quality of the human environment, and (does/ $\underline{\text{does}}$ $\underline{\text{not}}$) require the preparation of an environmental impact statement.

Prepared by (BOGC): /s/ Steven Sasaki
(title:) Chief Field Inspector
Date: February 19, 2010
Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency)
Richland County water wells
(subject discussed)
_February 19, 2010
(data)

US Fish and Wildlife, Region 6 website

(Name and Agency)

(possible concerns)

ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Richland County

February 19, 2010	
(date)	
If location was inspected before permit approval:	
Inspection date:	
Inspector:	
Others present during inspection:	